


This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	LED Linear GmbH	Manufacturer:	LED Linear GmbH
Address:	Pascalstrasse 9 D-47506 Neukirchen-Vluyn	Address:	Dr. Alfred Herrhausen Allee 22 A-D, 20 A-D, 47228 Duisburg
Country:	Germany	Country:	Germany
Contact:	Dietrich Heitmann Mr.Dr.Dirk Püttjer	Contact:	Mr.Dr.Dirk Püttjer Dietrich Heitmann
Phone:	+49 (0) 2065 94322 267 +49 (0) 2065 94322 231	Phone:	+49 (0) 2065 94322 231 +49 (0) 2065 94322 267
FAX:	+49 (0) 2845 98462 120	FAX:	+49 (0) 2845 98462 120
Email:	dietrich.heitmann@led-linear.com Dirk.puettjer@led-linear.com	Email:	Dirk.puettjer@led-linear.com dietrich.heitmann@led-linear.com

Party Authorized To Apply Mark: Same as Manufacturer
Report Issuing Office: Kaufbeuren

Control Number: 4004471 **Authorized by:** 
for Dean Davidson, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Low Voltage Lighting Systems [UL 2108:2015 Ed.2] General Requirements For Luminaries (R2016) [CSA C22.2#9.0:1996 Ed.1+S1]
Product:	LED lighting-strips
Brand Name:	LED LINEAR™ lighting solutions

Flex APOLLO WXXX, Flex ATON WXXX, Flex B, Flex G, Flex R, Flex Y
Flex RGB L, Flex RGB S, Flex IQ SOL W863/827, Flex IQ W863/827, Flex IQ White SOL 857/827

Flex WXXX, Flex DONAR WXXX, Flex SideView WXXX, Flex SOL WXXX
Flex SOL L WXXX, Flex HYDRA LD YY WXXX
where YY can be 5, 8, 10, 18, 15, 25, 40

Flex Hydra SLD3 WXXX, Flex HYDRA HD YY WXXX
where YY can be 6, 10, 20, 15, 25, 36

Flex IQ White SOL W857/827, Flex IQ White Hydra LD 25, Flex ATON X
where X can be B, R, A, G

Flex ATON 2 WXXX, Flex ATON 3 WXXX, Flex ATON PLUS WXXX
Flex ATON AIR WXXX, Flex IQ White ATON WXXX, Flex IQ White ATON HD YY
where YY can be: 12, 24, 42

Models:

Flex RGB 2S, Flex RGB SideView (SV), Flex ECO LD4 WXXX
Flex HERCULES WXXX, Flex ZEUS WXXX, Flex ECO HD8 WXXX
Flex ECO HD24 WXXX, Flex ECO LD4 WXXX, Flex ECO LD12 WXXX
Flex APOLLO2 WXXX, Flex DONAR2 WXXX, Flex ZEUS2 WXXX
Flex KRONOS WXXX, Flex SIDE VIEW ECO LD10 WXXX
Flex SIDE VIEW ECO HD20 WXXX,
Flex RGB LD15, RGB HD10, RGB HD20, IQ White ATON, IQ White SOL
Flex ATON Color Y, ATON Color R, ECO LD4 Color G, ECO LD4 Color B, ECO HD8 Color G, ECO HD8 Color B, BASIC Color R, BASIC Color Y

Xoominescent T5 HE WXXX
Xoominescent T5 HO WXXX

LUMINARIS ECO P12 LYY WXXX
LUMINARIS ECO P23 LYY WXXX
LUMINARIS XHAGA P10 LYY WXXX CC
LUMINARIS XHAGA P20 LYY WXXX CC
where YY can be: 500, 1000, 1500, 2200, 3200, 4400, 6400

XXX stands for: different numbers or letters or Blanks for designation, flexible color, intensity, Length and power by meter